



ecoFIT Tee 90° reduced PE100 d63-250mm / SDR11

Model:

- Conventional butt-welding according to DVS 2207
- IR = Infrared-(IR Plus) compatible. Choose fusion parameters: PE100

d (mm)	SDR	PN (bar)	d1 (mm)	FM	DN (mm)	Code	Weight (kg)
63	11	16	32	IR	50	753 208 351	0.161
63	11	16	50	IR	50	753 208 352	0.180
75	11	16	32	IR	65	753 208 353	0.255
75	11	16	50	IR	65	753 208 354	0.265
75	11	16	63	IR	65	753 208 355	0.278
90	11	16	50	IR	80	753 208 357	0.435
90	11	16	63	IR	80	753 208 358	0.448
90	11	16	75	IR	80	753 208 359	0.462
110	11	16	32	IR	100	753 208 360	0.685
110	11	16	50	IR	100	753 208 361	0.694
110	11	16	63	IR	100	753 208 362	0.709
110	11	16	75	IR	100	753 208 363	0.717
110	11	16	90	IR	100	753 208 364	0.734
160	11	16	63	IR	150	753 208 371	2.269
160	11	16	75	IR	150	753 208 372	2.255
160	11	16	90	IR	150	753 208 373	2.317
160	11	16	110	IR	150	753 208 374	2.353
225	11	16	90	IR	200	753 208 388	4.759
225	11	16	110	IR	200	753 208 389	4.796
225	11	16	160	IR	200	753 208 391	4.854
250	11	16	110		250	753 221 031	8.120
250	11	16	160		250	753 221 032	9.700

d (mm)	L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	e (mm)	e1 (mm)	PF
63	65	70	25	25	5.8	2.9	2 68 240 017
63	65	70	25	25	5.8	4.6	2 68 240 017
75	70	75	25	25	6.8	2.9	2 68 240 017
75	70	75	25	25	6.8	4.6	2 68 240 017
75	70	75	25	25	6.8	5.8	2 68 240 017
90	80	85	25	25	8.2	4.6	2 68 240 017
90	80	85	25	25	8.2	5.8	2 68 240 017
90	80	85	25	25	8.2	6.8	2 68 240 017
110	90	95	30	25	10.0	2.9	2 68 240 017
110	90	95	30	25	10.0	4.6	2 68 240 017
110	90	95	30	25	10.0	5.8	2 68 240 017
110	90	95	30	25	10.0	6.8	2 68 240 017
110	90	95	30	25	10.0	8.2	2 68 240 017
160	142	135	50	30	14.6	5.8	2 68 240 017
160	142	135	50	30	14.6	6.8	2 68 240 017
160	142	135	50	30	14.6	8.2	2 68 240 017
160	142	135	50	30	14.6	10.0	2 68 240 017
225	155	165	40	30	20.5	8.2	2 68 240 017
225	155	165	40	30	20.5	10.0	2 68 240 017
225	155	165	40	30	20.5	14.6	2 68 240 017
250	228	197	140	37	22.7	10.0	2 68 240 040
250	229	219	117	60	22.7	14.6	2 68 240 040

Data sheet

valid from: 9/14/21



The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>