



ecoFIT flush style reducer SDR17/17.6

Model:

- Material: PE100
- Flush style design
- Conventional butt-welding according to DVS 2207
- Clamping on welding machine needs to be done always on the bigger diameter (d1)
- The butt fusion machine must be suitable to weld both dimensions (d1 and d2)

d1 (mm)	d2 (mm)	Code	Weight (kg)	L (mm)	L1 (mm)	L2 (mm)	e1 (mm)	e2 (mm)	PF
355	225	753 909 859	3.922	120	85	10	21.1	13.4	2 68 240 041
355	250	753 909 860	3.318	115	80	10	21.1	14.8	2 68 240 041
355	280	753 909 861	3.134	115	80	10	21.1	16.6	2 68 240 041
355	315	753 909 862	2.716	115	80	15	21.1	18.7	2 68 240 041
400	225	753 909 866	6.299	135	100	10	23.7	13.4	2 68 240 041
400	250	753 909 867	5.754	135	100	10	23.7	14.8	2 68 240 041
400	280	753 909 868	5.468	135	100	10	23.7	16.6	2 68 240 041
400	315	753 909 869	5.125	135	100	10	23.7	18.7	2 68 240 041
400	355	753 909 870	4.614	135	100	13	23.7	21.1	2 68 240 041
450	225	753 909 872	9.323	150	110	10	26.7	13.4	2 68 240 041
450	250	753 909 873	9.000	150	110	10	27.7	14.8	2 68 240 041
450	280	753 909 874	8.066	150	110	15	26.7	16.6	2 68 240 041
450	315	753 909 875	7.354	150	110	15	26.7	18.7	2 68 240 041
450	355	753 909 876	6.724	150	110	15	26.7	21.1	2 68 240 041
450	400	753 909 877	6.238	150	110	15	26.7	23.7	2 68 240 041
500	225	753 909 879	12.120	165	115	10	29.7	13.4	2 68 240 041
500	250	753 909 880	11.834	165	115	10	29.7	14.8	2 68 240 041
500	280	753 909 881	11.459	165	115	10	29.7	16.6	2 68 240 041
500	315	753 909 882	10.502	165	115	10	29.7	18.7	2 68 240 041
500	355	753 909 883	10.154	165	115	10	29.7	21.1	2 68 240 041
500	400	753 909 884	8.642	165	115	10	29.7	23.7	2 68 240 041
500	450	753 909 885	7.978	165	115	25	29.7	26.7	2 68 240 041
560	315	753 909 886	19.966	210	160	10	33.2	18.7	2 68 240 041
560	355	753 909 887	17.764	200	150	10	33.2	21.1	2 68 240 041
560	400	753 909 888	15.168	185	135	10	33.2	23.7	2 68 240 041
560	450	753 909 889	11.650	165	115	10	33.2	26.7	2 68 240 041
560	500	753 909 890	10.623	165	115	20	33.2	29.7	2 68 240 041
630	315	753 909 891	27.625	220	170	10	37.4	18.7	2 68 240 041
630	355	753 909 892	26.454	220	170	10	37.4	21.1	2 68 240 041
630	400	753 909 893	23.648	210	160	10	37.4	23.7	2 68 240 041
630	450	753 909 894	19.957	195	145	10	37.4	26.7	2 68 240 041
630	500	753 909 895	15.910	175	125	10	37.4	29.7	2 68 240 041
630	560	753 909 896	13.272	165	115	20	37.4	33.2	2 68 240 041

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland
 Phone +41 -(0)52-631 1111
 e-mail: info.ps@georgfischer.com
 Internet: <http://www.gfps.com>