
ACCESSORIES T-SLOT



BAR FOR GROOVING




 Code
 Description

 W0950000160
 Bar for grooving L = 500 mm

Note: The code corresponds to 1 piece.

SLOTTED FIXING PLATE




 Code
 Description
 Weight [g]

 0950003001
 M4 T-slotted fixing plate
 1

 0950003002
 M3 T-slotted fixing plate
 1

Note: Individually packed

SLOTTED FIXING PLATE



Code	Description	Weight [g]
0950003000	Fixing block	2
	l district land	

Note: Supplied complete with 1 M3 grub screw and 1 M4 grub screw

NOTES

SENSOR TESTER

- This sensor tester features the following:


 a green light and acoustic signal indicating correct operation
 sensors can be checked without having to be disassembled
- M8 and M12 connections, and terminal board for direct connection to the wires
- PNP or NPN switching button
- 9V battery power supplyautomatic switch-off



TECHNICAL DATA	
Container material	PA 6.6 blue
Degree of protection	IP00
Connections	M8 and M12 plug-socket type with 40 cm cable
Additional connections	3 terminals for wire connection
Power supply	9V DC (battery type 6LR61)
Internal voltage	15V DC
Green light	tester switched on
Yellow light	sensor in operation
Red light	battery flat

COMPONENTS

- ① CONTAINER (PA 6.6 blue)
- ② START BUTTON
- 3 WIRE CONNECTION + (brown)
- 4 WIRE CONNECTION (blue)
- (5) OUTPUT CONNECTION (black)
 (6) PNP/NPN SELECTOR
- M8x1 CONNECTOR
- ® M12x1 CONNECTOR
- 9 LED COVER



Code Dimension [mm] Weight [g] Description W0950060000 63x88x24 192 Sensor tester



No-ma	
NOTES	